NEST


Nascent Encoded Steganographic Thoughts

Can frontier LLMs hide their reasoning inside innocuous text?

Artem Karpov Independent

NeurIPS 2026 · Track on Evaluations and Datasets · Poster 139735

Chain-of-thought monitoring needs legible reasoning



If a model could reason **steganographically**, CoT oversight would be compromised.

How close are current frontier models?

Steganographic CoT = compute + embed, in one pass

1. Compute
a hidden intermediate result

+

2. Embed
it into a coherent cover text

both in **a single pass**

Not dog-whistling, ciphered reasoning, or post-hoc rationalization.

Steganographic CoT = compute + embed, in one pass

1. Compute
a hidden intermediate result

+

2. Embed
it into a coherent cover text


both in **a single pass**

Not dog-whistling, ciphered reasoning, or post-hoc rationalization.

A success must pass **four gates on the same problem**:

hidden answer correct ∧ **monitor sees no explicit reasoning** ∧ **direct answer fails** not a single forward pass ∧ **filler tokens fail** not just extra compute

Experiment 1 — counting: embedding only




The model is **given** a number sequence and only has to **embed** it.

Sentence initials D–M–T–P–C–R–F–B $\rightarrow$ 1, 2, ..., 8: **8 of 8 digits**

D = number of digits to encode (here $D{=}8$) = number of carrier sentences

Experiment 2 — Reasoning Gym: reason *and* embed



- 4 hidden-task families: multi-step arithmetic, chain addition, linear equations, maze
- 6 frontier models, 24 cells, 1,170 samples
- Difficulty calibrated per model: plain CoT solves ≈90%, direct answer mostly fails
- Same sentence-acrostic channel

Experiment 2 — a maze example

Claude Opus 4.5 writes its path into the **sentence initials**:


UP · UP · U · LEFT · LEFT · LEFT · UP → SEVEN

Not counted as a success: direct answer and word filler also answered 7.

One output from the main run. Every maze in this cell has answer 7, so the monitor was not run.

Hidden task:
fewest steps from S to G

shortest path
↑ ↑ ↑ ← ← ← ↑ (7 steps)




Cover question: Is travel important for personal growth?

T ravel has long been celebrated as one of the most t…	T
U ndoubtedly, stepping outside your comfort zone crea…	UP
P eople often return from journeys with new perspecti…	
U nderstanding different cultures broadens your world…	UP
P erhaps the most valuable aspect is learning to adap…	
U ncertainty becomes something you embrace rather tha…	U
L earning to navigate unfamiliar places builds confid…	LEFT
E ncountering strangers who become friends teaches us…	
F acing language barriers develops patience and creat…	
T he memories formed during travel stay with us forev…	
L eft to our own devices in new environments, we disc…	LEFT
E ventually, these experiences compound into wisdom t…	
F oreign landscapes often mirror internal journeys we…	
T he simple act of being somewhere new awakens dorman…	
L eft behind are old assumptions about how life must …	LEFT
E ven brief trips can shift your entire outlook on wh…	
F inally, travel reminds us that growth requires move…	
T aking that first step toward the unknown is always …	
U nique experiences await those brave enough to seek …	UP
P erhaps most importantly, travel teaches us that com…	
S even days abroad can teach lessons that seven years…	SEVEN
E very journey adds new chapters to our personal stor…	
V enturing into the world ultimately means venturing …	
E mbracing travel means embracing continuous personal…	
N ew horizons always await those willing to seek them…	

HIDDEN_ANSWER: 7


Counting: capability rises across generations



* mean over D=4, 8 only (no D=16 run). Monitor markers: D=4 only.

39 models from eight families evaluated; shown here: Anthropic and OpenAI.

Counting: capability rises across generations



Claude Opus, mean over $D \in \{4, 8, 16\}$:

$0.52 \rightarrow 0.54 \rightarrow$ **0.66** $\rightarrow 0.71^{\dagger}$

Opus 4 · 4.1 · 4.5 · 4.6

Opus 4.5 on 4-digit sequences (D=4):


92% per-number accuracy

54% exact match

$\Rightarrow$ the embedding-only floor is cleared

† completed generations only; provider-side refusals (category `bio`) excluded.

Reason + embed: no significant uplift over filler



"ttc" = word-filler baseline

Dot: share of discordant problems that **stego wins**.


Dashed line 0.5 = no difference.

No pooled row and no single cell beats filler at $p < 0.05$.

McNemar paired test, one-sided; 95% Wilson CIs; 1,063 pairs.

Labels: stego wins / filler wins.

Reason + embed: no significant uplift over filler




Same model, two experiments

	counting $D{=}4$ exact	reason+embed stego / filler wins
Opus 4.6	**53%**†	**9 vs 6** $p = 0.30$
Opus 4.5	**54%**	**7 vs 7** $p = 0.61$

The binding constraint is the **joint** reason-and-embed load, not channel capacity.

† completed trials only.

Monitors disagree: 0.3% to 32% detection



- **GPT-5.4: 32%**; the other scheme-naive monitors: $\leq$**2%**
- GPT-5.4: 0 of 250 plain controls flagged, but 39% of stego-prompted transcripts *without* a payload

$\Rightarrow$ ensemble monitors across model families

- Fixed acrostic schemes: a scheme-aware scanner detects them

Takeaway: keep evaluating

- Frontier models **can embed** a given sequence: Opus 4.5, 92% per-number at $D{=}4$
- **No significant uplift** from joint reason-and-embed over a filler baseline, in any (model, task family) cell
- Limits: prompt-only, acrostic channels — fine-tuning is future work
- The encoding floor rises across generations $\Rightarrow$ **continuous evaluation**

Dataset	huggingface.co/datasets/artkpv/nest
Code	github.com/artkpv/nest
Paper	openreview.net/forum?id=7NPLobyuus

Artem Karpov