Safety Geometry Collapse in Multimodal LLMs and Adaptive Drift Correction

Jiahe Guo, Xiangran Guo, Jiaxuan Chen, Weixiang Zhao, Yanyan Zhao
Yutai Hou, Qianchao Wang, Dandan Tu, Bing Qin

NeurIPS 2026 · Poster #149571

arxiv.org/abs/2605.18104v1

Background

- Text-aligned models often refuse a harmful request, but may comply when the same intent is presented through images or audio.
- **Why does learned text safety fail to transfer reliably across modalities?**



We investigate the multimodal safety gap from a representation-geometric perspective.

Safety Geometry Collapse

- Refusal direction r: separates refused and complied harmful text inputs.
- Modality drift g: measures the displacement of matched multimodal inputs.
- As drift increases, harmful inputs become less separable along the text refusal direction.
- **We call this failure mode Safety Geometry Collapse.**



The refusal direction remains present, but its usable safety separation collapses.

Mechanistic Evidence

Observation

- Greater drift corresponds to lower refusal separability (CRS).
- At the same time, attack success rate (ASR) increases.



Intervention

- Subtracting estimated drift reduces unsafe compliance.
- Uniformly strong correction can harm utility.



Self-Rectification

- Drift correction is orthogonal to the refusal direction: it does not directly add refusal activation.
- After partial correction, later layers can recover stronger refusal behavior.
- **Harmful inputs show stronger self-rectification than benign inputs.**



Self-rectification provides an input-dependent signal for adaptive drift correction.

ReGap: Adaptive Drift Correction



Purification $g^l \leftarrow g^l - \frac{g^{l^T} r^l}{\|r^l\|^2} r^l$

Intervention $h'^l \leftarrow h^l - \lambda g^l, l = 1, \dots L$

Self-Rectification $S^l(x) = \tilde{h}^l(x)^T r^l - h^l(x)^T r^l$

ReGap $h'^l \leftarrow h^l - \alpha g^l, \; l = 1, \dots L \quad \underset{\text{adaptive}}{\alpha(x) = \begin{cases} \lambda_1, if\ S^l(x) > \tau \\ \lambda_2, otherwise. \end{cases}}$

- Offline: estimate the refusal direction r and modality drift g.
- Probe: apply a small correction and measure self-rectification (S).
- Adapt: choose stronger or weaker correction using a threshold.
- Correct: apply selected drift removal during input prefill.

$$\mathbf{h' = h - \alpha(x)g}$$

Training-free · No model parameter updates
No intervention during decoding

Results and Analysis: Safety

Main results

• ReGap substantially reduces unsafe compliance across models and modalities.

Omni-SafetyBench AVG. ASR ↓

Qwen2.5: 65.7 → 20.8

MiniCPM: 64.1 → 27.8

Qwen3: 54.5 → 27.5

Lower ASR means better safety.

Models	Omni-SafetyBench						AJB	MMSB
	Image (AVG).	Audio	A-T	Omni	Video	AVG.	Audio	V-T (AVG)
Qwen2.5-Omni-3B								
Base	82.1	56.6	48.8	43.0	65.6	65.7	49.6	76.8
ShiftDC	53.0	1.0	27.2	0.2	44.4	33.1	22.2	46.3
VLGuard-SFT	34.1	37.4	21.0	19.2	72.8	36.1	20.8	36.2
SPA-VL-DPO	63.2	45.8	35.2	34.2	88.6	56.2	31.8	67.4
ReGap	17.1	8.9	25.8	25.8	34.0	20.8	17.0	14.2
MiniCPM-o-4.5								
Base	86.4	57.6	35.2	24.0	72.6	64.1	45.6	69.8
ShiftDC	70.7	2.2	35.0	3.8	76.4	47.1	6.6	57.6
ReGap	30.6	14.2	16.6	9.1	63.0	27.8	9.2	65.4
Qwen3-Omni-30B-A3B-Instruct								
Base	83.8	20.8	22.4	12.6	74.4	54.5	26.4	58.1
ShiftDC	54.1	10.4	17.2	0.8	14.0	29.2	18.2	26.9
ReGap	48.5	8.8	14.1	11.8	12.0	27.5	16.9	36.3

Results and Conclusion: Utility

Preserving general capability

- ReGap largely maintains multimodal reasoning, visual, and audio understanding.
- On Qwen2.5-Omni-3B, MMAU accuracy is 66.0 → 66.8.

Take-home message

- Multimodal safety can improve by recovering existing refusal behavior through adaptive representation correction.

Models	OmniBench				MMMU	MMAU
	Causal	Spatial	Abstract	Overall	ACC	ACC
Qwen2.5-Omni-3B						
Base	28.6	42.3	17.2	32.4	25.0	66.0
ShiftDC	25.3	33.7	24.1	28.0	25.2	3.2
VLGuard-SFT	43.2	52.2	34.5	45.6	23.2	64.0
SPA-VL-DPO	26.3	30.7	6.9	26.6	25.2	64.4
ReGap	31.8	42.9	20.7	34.8	25.4	66.8
MiniCPM-o-4.5						
Base	50.0	47.2	27.6	47.8	43.4	76.2
ShiftDC	49.4	47.2	31.0	47.6	42.5	29.2
ReGap	50.7	50.3	27.6	49.2	45.4	76.8
Qwen3-Omni-30B-A3B-Instruct						
Base	54.9	40.5	31.0	48.8	50.0	77.6
ShiftDC	55.2	40.5	34.5	49.2	40.4	71.2
ReGap	54.6	41.1	44.8	49.6	50.6	76.8

Thank you!